



[Rnet, info](#)

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

Networks in R

1. Description of networks

Vladimir Batagelj

IMFM Ljubljana and IAM UP Koper

Master's programme

Applied Statistics with Social Network Analysis

International Laboratory for Applied Network Research
NRU HSE, Moscow 2017

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks


Two-mode networks

igraph in R

Pajek and R


netJSON and Graph

- 1 Networks
- 2 Descriptions of networks
- 3 Properties
- 4 Types of networks
- 5 Temporal networks
- 6 Multi-relational networks
- 7 Two-mode networks
- 8 igraph in R
- 9 Pajek and R
- 10 netJSON and Graph



Vladimir Batagelj: vladimir.batagelj@fmf.uni-lj.si

Current version of slides (November 18, 2017 at 23 : 39): [slides PDF](#)



Alexandra Schuler/ Marion Laging-Glaser:
Analyse von Snoopy Comics

A *network* is based on two sets – set of *nodes* (vertices), that represent the selected *units*, and set of *links* (lines), that represent *ties* between units. They determine a *graph*. A link can be *directed* – an *arc*, or *undirected* – an *edge*.

Additional data about nodes or links can be known – their *properties* (attributes). For example: name/label, type, value, ...

Network = Graph + Data

The data can be measured or computed.



Networks / Formally

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R


netJSON and
Graph

A **network** $\mathcal{N} = (\mathcal{V}, \mathcal{L}, \mathcal{P}, \mathcal{W})$ consists of:

- a **graph** $\mathcal{G} = (\mathcal{V}, \mathcal{L})$, where \mathcal{V} is the set of nodes, \mathcal{A} is the set of arcs, \mathcal{E} is the set of edges, and $\mathcal{L} = \mathcal{E} \cup \mathcal{A}$ is the set of links.

$$n = |\mathcal{V}|, m = |\mathcal{L}|$$

- \mathcal{P} **node value functions** / properties: $p: \mathcal{V} \rightarrow A$
- \mathcal{W} **link value functions** / weights: $w: \mathcal{L} \rightarrow B$



unit, actor – node, vertex
tie, line – link, edge, arc

arc = directed link, (a, d)
 a is the *initial* node,
 d is the *terminal* node.

edge = undirected link,
 $(c: d)$
 c and d are *end* nodes.

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks


Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph



$$\mathcal{V} = \{a, b, c, d, e, f, g, h, i, j, k, l\}$$

$$\mathcal{A} = \{(a, b), (a, d), (a, f), (b, a), (b, f), (c, b), (c, c), (c, g)_1, (c, g)_2, (e, c), (e, f), (e, h), (f, k), (h, d), (h, l), (j, h), (l, e), (l, g), (l, h)\}$$

$$\mathcal{E} = \{(b : e), (c : d), (e : g), (f : h)\}$$

$$\mathcal{G} = (\mathcal{V}, \mathcal{A}, \mathcal{E})$$

$$\mathcal{L} = \mathcal{A} \cup \mathcal{E}$$

$\mathcal{A} = \emptyset$ – **undirected** graph; $\mathcal{E} = \emptyset$ – **directed** graph.

Pajek: local: [GraphSet](#); [TinaSet](#);

WWW: [GraphSet / net](#); [TinaSet / net](#), picture [picture](#).



Graph / Sets – NET

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks


Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph



```
*Vertices 12
1 "a" 0.1020 0.3226
2 "b" 0.2860 0.0876
3 "c" 0.5322 0.2304
4 "d" 0.3259 0.3917
5 "e" 0.5543 0.4770
6 "f" 0.1552 0.6406
7 "g" 0.8293 0.3249
8 "h" 0.4479 0.6866
9 "i" 0.8204 0.8203
10 "j" 0.4789 0.9055
11 "k" 0.1175 0.9032
12 "l" 0.7095 0.6475
```

```
*Arcs
```

```
1 2
2 1
1 4
1 6
2 6
3 2
3 3
3 7
3 7
5 3
5 6
5 8
6 11
8 4
10 8
12 5
12 7
8 12
12 8
```

```
*Edges
```

```
2 5
3 4
5 7
6 8
```

Graph / Neighbors – NET

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks


Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph



$$N_A(a) = \{b, d, f\}$$

$$N_A(b) = \{a, f\}$$

$$N_A(c) = \{b, c, g, g\}$$

$$N_A(e) = \{c, f, h\}$$

$$N_A(f) = \{k\}$$

$$N_A(h) = \{d, l\}$$

$$N_A(j) = \{h\}$$

$$N_A(l) = \{e, g, h\}$$

$$N_E(e) = \{b, g\}$$

$$N_E(c) = \{d\}$$

$$N_E(f) = \{h\}$$

Pajek: local: `GraphList`; `TinaList`;

WWW: `GraphList / net`; `TinaList / net`.

$$N(v) = N_A(v) \cup N_E(v), \quad \text{also } N_{out}(v), N_{in}(v)$$

Star in v , $S(v)$ is the set of all links with v as their initial node.

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks


Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph



```
*Vertices 12
1 "a" 0.1020 0.3226
2 "b" 0.2860 0.0876
3 "c" 0.5322 0.2304
4 "d" 0.3259 0.3917
5 "e" 0.5543 0.4770
6 "f" 0.1552 0.6406
7 "g" 0.8293 0.3249
8 "h" 0.4479 0.6866
9 "i" 0.8204 0.8203
10 "j" 0.4789 0.9055
11 "k" 0.1175 0.9032
12 "l" 0.7095 0.6475
```

```
*Arcslist
1 2 4 6
2 1 6
3 2 3 7 7
5 3 6 8
6 11
8 4 12
10 8
12 5 7 8
```

```
*Edgeslist
2 5
3 4
5 7
6 8
```

Graph / Matrix – MAT

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks


Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph



	a	b	c	d	e	f	g	h	i	j	k	l
a	0	1	0	1	0	1	0	0	0	0	0	0
b	1	0	0	0	1	1	0	0	0	0	0	0
c	0	1	1	1	0	0	2	0	0	0	0	0
d	0	0	1	0	0	0	0	0	0	0	0	0
e	0	1	1	0	0	1	1	1	0	0	0	0
f	0	0	0	0	0	0	0	1	0	0	1	0
g	0	0	0	0	1	0	0	0	0	0	0	0
h	0	0	0	1	0	1	0	0	0	0	0	1
i	0	0	0	0	0	0	0	0	0	0	0	0
j	0	0	0	0	0	0	0	1	0	0	0	0
k	0	0	0	0	0	0	0	0	0	0	0	0
l	0	0	0	0	1	0	1	1	0	0	0	0

Pajek: local: [GraphMat](#); [TinaMat](#), picture [picture](#);

WWW: [GraphMat / net](#); [TinaMat / net, paj](#).

Graph G is **simple** if in the corresponding matrix all entries are 0 or 1.

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks


Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph



```
*Vertices 12
```

1	"a"	0.1020	0.3226
2	"b"	0.2860	0.0876
3	"c"	0.5322	0.2304
4	"d"	0.3259	0.3917
5	"e"	0.5543	0.4770
6	"f"	0.1552	0.6406
7	"g"	0.8293	0.3249
8	"h"	0.4479	0.6866
9	"i"	0.8204	0.8203
10	"j"	0.4789	0.9055
11	"k"	0.1175	0.9032
12	"l"	0.7095	0.6475

```
*Matrix
```

0	1	0	1	0	1	0	0	0	0	0	0	0
1	0	0	0	1	1	0	0	0	0	0	0	0
0	1	1	1	0	0	2	0	0	0	0	0	0
0	0	1	0	0	0	0	0	0	0	0	0	0
0	1	1	0	0	1	1	1	0	0	0	0	0
0	0	0	0	0	0	0	1	0	0	0	1	0
0	0	0	0	1	0	0	0	0	0	0	0	0
0	0	0	1	0	1	0	0	0	0	0	0	1
0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	0	1	1	0	0	0	0	0



Node Properties / CLU, VEC, PER

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

All three types of files have the same structure:

*vertices n

v_1

...

v_n

n is the number of nodes
node 1 has value v_1

CLUstering – partition of nodes – *nominal* or *ordinal* data about nodes

$v_i \in \mathbb{N}$: node i belongs to the cluster/group v_i ;

VECTor – *numeric* data about nodes

$v_i \in \mathbb{R}$: the property has value v_i on node i ;

PERmutation – *ordering* of nodes

$v_i \in \mathbb{N}$: node i is at the v_i -th position.

When collecting the network data consider to provide as much properties as possible.



Example: Wolfe Monkey Data

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph

inter.net	inter.net	sex.clu	age.vec	rank.per
*Vertices 20		*vertices 20	*vertices 20	*vertices 20
1 *m01"	1 6 5	1	15	1
2 *m02"	1 7 9	1	10	2
3 *m03"	1 8 7	1	10	3
4 *m04"	1 9 4	1	8	4
5 *m05"	1 10 3	1	7	5
6 *f06"	1 11 3	2	15	10
7 *f07"	1 12 7	2	5	11
8 *f08"	1 13 3	2	11	6
9 *f09"	1 14 2	2	8	12
10 *f10"	1 15 5	2	9	9
11 *f11"	1 16 1	2	16	7
12 *f12"	1 17 4	2	10	8
13 *f13"	1 18 1	2	14	18
14 *f14"	2 3 5	2	5	19
15 *f15"	2 4 1	2	7	20
16 *f16"	2 5 3	2	11	13
17 *f17"	2 6 1	2	7	14
18 *f18"	2 7 4	2	5	15
19 *f19"	2 8 2	2	15	16
20 *f20"	2 9 6	2	4	17
*Edges	2 10 2			
1 2 2	2 11 5			
1 3 10	2 12 4			
1 4 4	2 13 3			
- - -	2 14 2			
	...			

Important note: 0 is not allowed as node number.





Pajek's Project File / PAJ

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

All types of data can be combined into a single file – Pajek's *project file file.paj*.

The easiest way to do this is:

- read all data files in Pajek,
- compute some additional data,
- delete (dispose) some data,
- save all as a project file with
`File/Pajek Project File/Save.`

Next time you can restore everything with a single
`File/Pajek Project File/Read.`

Wolfe network as a Pajek's project file ([PDF/paj](#)).



Special graphs – path, cycle, star, complete

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks


Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph



Graphs: *path* P_5 , *cycle* C_7 , *star* S_8 in *complete graph* K_7 .



Representations of properties

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

Properties of nodes \mathcal{P} and links \mathcal{W} can be measured in different scales: numerical, ordinal and nominal. They can be *input* as data or *computed* from the network.

In **Pajek** numerical properties of nodes are represented by *vectors*, nominal properties by *partitions* or as *labels* of nodes. Numerical property can be displayed as *size* (width and height) of node (figure), as its *coordinate*; and a nominal property as *color* or *shape* of the figure, or as a node's *label* (content, size and color).

We can assign in **Pajek** numerical values to links. They can be displayed as *value*, *thickness* or *grey level*. Nominal values can be assigned as *label*, *color* or *line pattern* (see **Pajek manual**, section **4.3**).

Some related operations

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks


Multi-relational networks

Two-mode networks


igraph in R

Pajek and R

netJSON and Graph



Operations/Network+Vector/Transform/Put
 Network/Create Vector/Get Coordinate
 [Draw] Options
 [Draw] Layout/Energy/Kamada-Kawai/Free
 [Draw] Export/2D/EPS-PS





Display of properties – school (Moody)

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks


igraph in R

Pajek and R

netJSON and Graph


The Social Structure of "Countryside" School District

Points Colored by Grade



The Social Structure of "Countryside" School District

Points Colored by Race





Types of networks

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

Besides ordinary (directed, undirected, mixed) networks some extended types of networks are also used:

- *2-mode networks*, bipartite (valued) graphs – networks between two disjoint sets of nodes.
- *multi-relational networks*.
- *temporal networks*, dynamic graphs – networks changing over time.
- specialized networks: representation of genealogies as *p-graphs*; *Petri's nets*, ...

The network (input) file formats should provide means to express all these types of networks. All interesting data should be recorded (respecting privacy).




Temporal networks

Rnet, info

V. Batagelj

In a *temporal network* the presence/activity of node/link can change through time. **Pajek** supports two types of descriptions of temporal networks based on *presence* and on *events*.



Moody:

Drug users in Colorado Springs, 5 years



V. Batagelj

Rnet, info



Temporal network

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph

Temporal network

$$\mathcal{N}_T = (\mathcal{V}, \mathcal{L}, \mathcal{P}, \mathcal{W}, T)$$

is obtained if the *time* T is attached to an ordinary network. T is a set of *time points* $t \in T$.

In temporal network nodes $v \in \mathcal{V}$ and links $l \in \mathcal{L}$ are not necessarily present or active in all time points. If a link $l(u, v)$ is active in time point t then also its endnodes u and v should be active in time t .

We will denote the network consisting of links and nodes active in time $t \in T$ by $\mathcal{N}(t)$ and call it a *time slice* in time point t . To get time slices in **Pajek** use

Network/Temporal Network/Generate in time



Temporal networks – presence

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

```
*Vertices 3
1 "a" [5-10, 12-14]
2 "b" [1-3, 7]
3 "e" [4-*]
*Edges
1 2 1 [7]
1 3 1 [6-8]
```

Time.net.

Node *a* is present in time points 5, 6, 7, 8, 9, 10 and 12, 13, 14.

Edge (1 : 3) is present in time points 6, 7, 8.

* means 'infinity'.

A link is present, if both its endnodes are present.



Temporal networks – events

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph

Event	Explanation
TI t	initial events – following events happen when time point t starts
TE t	end events – following events happen when time point t is finished
AV $v n s$	add vertex v with label n and properties s
HV v	hide node v
SV v	show node v
DV v	delete node v
AA $u v s$	add arc (u, v) with properties s
HA $u v$	hide arc (u, v)
SA $u v$	show arc (u, v)
DA $u v$	delete arc (u, v)
AE $u v s$	add edge $(u : v)$ with properties s
HE $u v$	hide edge $(u : v)$
SE $u v$	show edge $(u : v)$
DE $u v$	delete edge $(u : v)$
CV $v s$	change property of node v to s
CA $u v s$	change property of arc (u, v) to s
CE $u v s$	change property of edge $(u : v)$ to s
CT $u v$	change (un)directedness of link (u, v)
CD $u v$	change direction of arc (u, v)
PE $u v s$	replace pair of arcs (u, v) and (v, u) by single edge $(u : v)$ with properties s
AP $u v s$	add pair of arcs (u, v) and (v, u) with properties s
DP $u v$	delete pair of arcs (u, v) and (v, u)
EP $u v s$	replace edge $(u : v)$ by pair of arcs (u, v) and (v, u) with properties s

s can be empty.

In case of parallel links : k denotes the k -th link – HE:3 14 37 hides the third edge linking nodes 14 and 37.

*Vertices 3

*Events

```

TI 1
AV 2 "b"
TE 3
HV 2
TI 4
AV 3 "e"
TI 5
AV 1 "a"
TI 6
AE 1 3 1
TI 7
SV 2
AE 1 2 1
TE 7
DE 1 2
DV 2
TE 8
DE 1 3
TE 10
HV 1
TI 12
SV 1
TE 14
DV 1

```

Time.tim. Friends.tim.

File/Network/Read Time Events





Temporal networks / September 11

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks


Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph



Pictures in SVG: *66 days*.

Steve Corman with collaborators from Arizona State University transformed, using his Centering Resonance Analysis (*CRA*), daily Reuters news (66 days) about September 11th into a temporal network of words coappearance.



Multi-relational networks

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

A *multi-relational network* is denoted by

$$\mathcal{N} = (\mathcal{V}, (\mathcal{L}_1, \mathcal{L}_2, \dots, \mathcal{L}_k), \mathcal{P}, \mathcal{W})$$

and contains different relations \mathcal{L}_i (sets of links) over the same set of nodes. Also the weights from \mathcal{W} are defined on different relations or their union.

Examples of such networks are: Transportation system in a city (stations, lines); **WordNet** (words, semantic relations: synonymy, antonymy, hyponymy, meronymy, ...), **KEDS** networks (states, relations between states: Visit, Ask information, Warn, Expel person, ...), ...



... Multi-relational networks

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

The relation can be assigned to a link as follows:

- add to a keyword for description of links (`*arcs`, `*edges`, `*arcslist`, `*edgeslist`, `*matrix`) the number of relation followed by its name:

```
*arcslist :3 "sent a letter to"
```

All links controlled by this keyword belong to the specified relation. (**Sampson**, **SampsonL**)

- Any link controlled by `*arcs` or `*edges` can be assigned to selected relation by starting its description by the number of this relation.

```
3: 47 14 5
```

Link with endnodes 47 and 14 and weight 5 belongs to relation 3.



Computer-assisted text analysis

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

An often used way to obtain networks is the *computer-assisted text analysis* (CaTA).

Terms considered in TA are collected in a *dictionary* (it can be fixed in advance, or built dynamically). The main two problems with terms are *equivalence* (different words representing the same term) and *ambiguity* (same word representing different terms). Because of these the *coding* – transformation of raw text data into formal *description* – is done often manually or semiautomatically. As *units* of TA we usually consider clauses, statements, paragraphs, news, messages, . . .

Till now the thematic and semantic TA mainly used statistical methods for analysis of the coded data.

In thematic TA the units are coded as rectangular matrix $\textit{Text units} \times \textit{Concepts}$ which can be considered as a two-mode network.

Examples: M.M. Miller: *VBPro*, H. Klein: *Text Analysis/TextQuest*.



... approaches to CaTA

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks


Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

In semantic TA the units (often clauses) are encoded according to the S-V-O (*Subject-Verb-Object*) model or its improvements.



Examples: **Roberto Franzosi**; **KEDS**, **Tabari**, **KEDS / Gulf**.

This coding can be directly considered as network with *Subjects* \cup *Objects* as nodes and links (arcs) labeled with *Verbs*.

See also **RDF** triples in **semantic web**, **SPARQL**.



Multi-relational temporal network – KEDS/WEIS

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph

```
% Recoded by WEISmonths, Sun Nov 28 21:57:00 2004
% from http://www.ku.edu/~keds/data.dir/balk.html
*vertices 325
1 "AFG" [1-*]
2 "AFR" [1-*]
3 "ALB" [1-*]
4 "ALBMED" [1-*]
5 "ALG" [1-*]
...
318 "YUGGOV" [1-*]
319 "YUGMAC" [1-*]
320 "YUGMED" [1-*]
321 "YUGMTN" [1-*]
322 "YUGSER" [1-*]
323 "ZAI" [1-*]
324 "ZAM" [1-*]
325 "ZIM" [1-*]
*arcs :0 "*** ABANDONED"
*arcs :10 "YIELD"
*arcs :11 "SURRENDER"
*arcs :12 "RETREAT"
...
*arcs :223 "MIL ENGAGEMENT"
*arcs :224 "RIOT"
*arcs :225 "ASSASSINATE TORTURE"
*arcs
224: 314 153 1 [4]          890402 YUG KSV 224 (RIOT) RIOT-TORN
212: 314 83 1 [4]          890404 YUG ETHALB 212 (ARREST PERSON) ALB ET
224: 3 83 1 [4]           890407 ALB ETHALB 224 (RIOT) RIOTS
123: 83 153 1 [4]         890408 ETHALB KSV 123 (INVESTIGATE) PROBIN
...
42: 105 63 1 [175]        030731 GER CYP 042 (ENDORSE) GAVE S
212: 295 35 1 [175]       030731 UNWCT BOSSER 212 (ARREST PERSON) SENTEN
43: 306 87 1 [175]       030731 VAT EUR 043 (RALLY) RALLIED
13: 295 35 1 [175]       030731 UNWCT BOSSER 013 (RETRACT) CLEAR
121: 295 22 1 [175]       030731 UNWCT BAL 121 (CRITICIZE) CHARGE
122: 246 295 1 [175]      030731 SER UNWCT 122 (DENIGRATE) TESTIF
121: 35 295 1 [175]       030731 BOSSER UNWCT 121 (CRITICIZE) ACCUSE
```

Kansas Event Data System **KEDS**

V. Batagelj

Rnet, info





Two-mode networks

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

In a *two-mode* network $\mathcal{N} = ((\mathcal{U}, \mathcal{V}), \mathcal{L}, \mathcal{P}, \mathcal{W})$ the set of nodes consists of two disjoint sets of nodes \mathcal{U} and \mathcal{V} , and all the links from \mathcal{L} have one endnode in \mathcal{U} and the other in \mathcal{V} . Often also a *weight* $w : \mathcal{L} \rightarrow \mathbb{R} \in \mathcal{W}$ is given; if not, we assume $w(u, v) = 1$ for all $(u, v) \in \mathcal{L}$.

A two-mode network can also be described by a rectangular matrix $\mathbf{A} = [a_{uv}]_{\mathcal{U} \times \mathcal{V}}$.

$$a_{uv} = \begin{cases} w_{uv} & (u, v) \in \mathcal{L} \\ 0 & \text{otherwise} \end{cases}$$

Examples: (persons, societies, years of membership), (buyers/consumers, goods, quantity), (parliamentarians, problems, positive vote), (persons, journals, reading).

A two-mode network is announced by *vertices $n \ n_{\mathcal{U}}$.

Authors and works.



Classical example of two-mode network are the Southern women (Davis 1941).

[Davis.paj](#). Freeman's [overview](#).

NAMES OF PARTICIPANTS OF GROUP I	CODE NUMBERS AND DATES OF SOCIAL EVENTS REFERRED IN <i>Old City Herald</i>													
	(1) 6/27	(2) 3/2	(3) 4/12	(4) 9/26	(5) 2/25	(6) 5/19	(7) 3/15	(8) 9/16	(9) 4/8	(10) 6/10	(11) 2/23	(12) 4/7	(13) 11/21	(14) 8/3
1. Mrs. Evelyn Jefferson.....	X	X	X	X	X	X	X	X	X					
2. Miss Laura Mandeville.....	X	X	X	X	X	X	X	X	X					
3. Miss Theresa Anderson.....		X	X	X	X	X	X	X	X					
4. Miss Brenda Rogers.....	X		X	X	X	X	X	X	X					
5. Miss Charlotte McDowd.....			X	X	X	X	X	X	X					
6. Miss Frances Anderson.....			X		X	X	X	X	X					
7. Miss Eleanor Nye.....				X	X	X	X	X	X					
8. Miss Pearl Oglethorpe.....					X	X	X	X	X					
9. Miss Ruth DeSand.....				X	X	X	X	X	X					
10. Miss Verne Sanderson.....					X	X	X	X	X					
11. Miss Myra Liddell.....								X	X	X		X	X	
12. Miss Katherine Rogers.....								X	X	X		X	X	X
13. Mrs. Sylvia Avondale.....							X	X	X	X		X	X	X
14. Mrs. Nora Fayette.....						X	X	X	X	X		X	X	X
15. Mrs. Helen Lloyd.....						X	X	X	X	X		X	X	X
16. Mrs. Dorothy Murchison.....								X	X	X		X	X	X
17. Mrs. Olivia Carleton.....									X	X	X	X	X	X
18. Mrs. Flora Price.....									X	X	X	X	X	X

igraph Example

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks


Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph



```
> library(igraph)
> links <- c("A", "C", "A", "G",
+ "B", "C", "B", "A", "B", "E",
+ "C", "A", "C", "E", "D", "B",
+ "D", "G", "D", "E", "E", "A",
+ "F", "E", "G", "C", "G", "F")
> L <- graph(links)
> L
IGRAPH bb7e45b DN-- 7 14 --
+ attr: name (v/c)
+ edges from bb7e45b (vertex names):
 [1] A->C A->G B->C B->A B->E C->G
> plot(L)
> vcount(L)
[1] 7
> ecount(L)
[1] 14
> L <- L + vertex("H")
> plot(L)
```

igraph is library for analyzing networks. It has also an R interface.

For other R libraries for solving network analysis problems see: Ian McCulloh, Alexander Perrone: R Packages for Social Network Analysis. **ESNAM**. Springer 2018.

See also: [sna](#), [network](#), [statnet](#), [ggnet](#)



igraph attributes

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

```
> V(L)
+ 8/8 vertices, named, from 84e744b:
[1] A C G B E D F H
> E(L)
+ 14/14 edges from 84e744b (vertex names):
[1] A->C A->G B->C B->A B->E C->A C->E D->B D->G D->E E->A F->E
> V(L)$name
[1] "A" "C" "G" "B" "E" "D" "F" "H"
> V(L)$name[5] <- "John"
> V(L)$color <- sample(c("yellow", "cyan"), vcount(L), rep=TRUE)
> plot(L)
> ye <- V(L)[color=="yellow"]; cy <- V(L)[color=="cyan"]
> E(L)[ye %--% cy]$color <- "red"
> E(L)[ye %--% ye]$color <- "blue"
> E(L)[cy %--% cy]$color <- "blue"
> L$name <- "Example"
> E(L)$weight <- sample(1:10, ecount(L), rep=TRUE)
> graph_attr_names(L)
[1] "name"
> graph_attr(L)
$name
[1] "Example"
> vertex_attr_names(L)
[1] "name" "color"
> edge_attr_names(L)
[1] "color" "weight"
> w <- E(L)$weight; plot(L, edge.width=w)
> write.graph(L, "Links.net", format="pajek")
```



Description of networks using spreadsheet

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

How to describe a network \mathcal{N} ? In principle the answer is simple – we list its components \mathcal{V} , \mathcal{L} , \mathcal{P} , and \mathcal{W} .

The simplest way is to describe a network \mathcal{N} by providing $(\mathcal{V}, \mathcal{P})$ and $(\mathcal{L}, \mathcal{W})$ in a form of two tables.

As an example, let us describe a part of network determined by the following works:

Generalized blockmodeling, Clustering with relational constraint, Partitioning signed social networks, The Strength of Weak Ties

There are nodes of different types (modes): persons, papers, books, series, journals, publishers; and different relations among them: author_of, editor_of, contained_in, cites, published_by.

Both tables are often maintained in Excel. They can be exported as text in **CSV** (Comma Separated Values) format.



bibNodes.csv

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

```
name;mode;country;sex;year;vol;num;fPage;lPage;x;y
"Batagelj, Vladimir";person;SI;m;;;;;809.1;653.7
"Doreian, Patrick";person;US;m;;;;;358.5;679.1
"Ferligoj, Anuška";person;SI;f;;;;;619.5;680.7
"Granovetter, Mark";person;US;m;;;;;145.6;660.5
"Moustaki, Irini";person;UK;f;;;;;783.0;228.0
"Mrvar, Andrej";person;SI;m;;;;;478.0;630.1
"Clustering with relational constraint";paper;;;1982;47;;413;426
"The Strength of Weak Ties";paper;;;1973;78;6;1360;1380;111.3;32
"Partitioning signed social networks";paper;;;2009;31;1;1;11;408
"Generalized Blockmodeling";book;;;2005;24;;1;385;533.0;445.9
"Psychometrika";journal;;;;;741.8;086.1
"Social Networks";journal;;;;;321.4;236.5
"The American Journal of Sociology";journal;;;;;111.3;168.9
"Structural Analysis in the Social Sciences";series;;;;;310.4
"Cambridge University Press";publisher;UK;;;;;534.3;238.2
"Springer";publisher;US;;;;;884.6;174.0
```

bibNodes.csv

In large networks, to avoid the empty cells, we split a network to some subnetworks – a collection.



bibLinks.csv

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

```
from;relation;to
"Batagelj, Vladimir";authorOf;"Generalized Blockmodeling"
"Doreian, Patrick";authorOf;"Generalized Blockmodeling"
"Ferligoj, Anuška";authorOf;"Generalized Blockmodeling"
"Batagelj, Vladimir";authorOf;"Clustering with relational constraints"
"Ferligoj, Anuška";authorOf;"Clustering with relational constraints"
"Granovetter, Mark";authorOf;"The Strength of Weak Ties"
"Granovetter, Mark";editorOf;"Structural Analysis in the Social Sciences"
"Doreian, Patrick";authorOf;"Partitioning signed social networks"
"Mrvar, Andrej";authorOf;"Partitioning signed social networks"
"Moustaki, Irini";editorOf;"Psychometrika"
"Doreian, Patrick";editorOf;"Social Networks"
"Generalized Blockmodeling";containedIn;"Structural Analysis in the Social Sciences"
"Clustering with relational constraints";containedIn;"Psychometrika"
"The Strength of Weak Ties";containedIn;"The American Journal of Sociology"
"Partitioning signed social networks";containedIn;"Social Networks"
"Partitioning signed social networks";cites;"Generalized Blockmodeling"
"Generalized Blockmodeling";cites;"Clustering with relational constraints"
"Structural Analysis in the Social Sciences";publishedBy;"Cambridge University Press"
"Psychometrika";publishedBy;"Springer"
```

[bibLinks.csv](#)



Factorization and description of large networks

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

To save space and improve the computing efficiency we often replace values of categorical variables with integers. In R this encoding is called a *factorization*.

We enumerate all possible values of a given categorical variable (coding table) and afterwards replace each its value by the corresponding index in the coding table.

This approach is used in most programs dealing with large networks. Unfortunately the coding table is often a kind of meta-data.



CSV2Pajek.R

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph

```
# transforming CSV file to Pajek files
# by Vladimir Batagelj, June 2016
# setwd("C:/Users/batagelj/work/Python/graph/SVG/EUSN")
# colC <- c(rep("character",4),rep("numeric",7)); nas=c("", "NA", "NaN")
colC <- c(rep("character",4),rep("numeric",5)); nas=c("", "NA", "NaN")
nodes <- read.csv2("bibNodes.csv",encoding='UTF-8',colClasses=colC,na.strings=nas)
n <- nrow(nodes); M <- factor(nodes$mode); S <- factor(nodes$sex)
mod <- levels(M); sx <- levels(S); S <- as.numeric(S); S[is.na(S)] <- 0
links <- read.csv2("bibLinks.csv",encoding='UTF-8',colClasses="character")
F <- factor(links$from,levels=nodes$name,ordered=TRUE)
T <- factor(links$to,levels=nodes$name,ordered=TRUE)
R <- factor(links$relation); rel <- levels(R)
net <- file("bib.net","w"); cat('*vertices ',n,'\n',file=net)
clu <- file("bibMode.clu","w"); sex <- file("bibSex.clu","w")
cat('%',file=clu); cat('%',file=sex)
for(i in 1:length(mod)) cat(' ',i,mod[i],file=clu)
cat('\n*vertices ',n,'\n',file=clu)
for(i in 1:length(sx)) cat(' ',i,sx[i],file=sex)
cat('\n*vertices ',n,'\n',file=sex)
for(v in 1:n) {
  cat(v,' ',nodes$name[v],'\n',sep='',file=net);
  cat(M[v],'\n',file=clu); cat(S[v],'\n',file=sex)
}
for(r in 1:length(rel)) cat('*arcs :',r,' ',rel[r],'\n',sep='',file=net)
cat('*arcs\n',file=net)
for(a in 1:nrow(links))
  cat(R[a],': ',F[a],', ',T[a],' 1 1 "',rel[R[a]],'\n',sep='',file=net)
close(net); close(clu); close(sex)
```

CSV2Pajek.R



bib.net

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

```
*vertices 16
1 "Batagelj, Vladimir"
2 "Doreian, Patrick"
3 "Ferligoj, Anuška"
4 "Granovetter, Mark"
5 "Moustaki, Irini"
6 "Mrvar, Andrej"
7 "Clustering with relational constraint"
8 "The Strength of Weak Ties"
9 "Partitioning signed social networks"
10 "Generalized Blockmodeling"
11 "Psychometrika"
12 "Social Networks"
13 "The American Journal of Sociology"
14 "Structural Analysis in the Social Sciences"
15 "Cambridge University Press"
16 "Springer"
*arcs :1 "authorOf"
*arcs :2 "cites"
*arcs :3 "containedIn"
*arcs :4 "editorOf"
*arcs :5 "publishedBy"
```

```
*arcs
1: 1 10 1 1 "authorOf"
1: 2 10 1 1 "authorOf"
1: 3 10 1 1 "authorOf"
1: 1 7 1 1 "authorOf"
1: 3 7 1 1 "authorOf"
1: 4 8 1 1 "authorOf"
4: 4 14 1 1 "editorOf"
1: 2 9 1 1 "authorOf"
1: 6 9 1 1 "authorOf"
4: 5 11 1 1 "editorOf"
4: 2 12 1 1 "editorOf"
3: 10 14 1 1 "containedIn"
3: 7 11 1 1 "containedIn"
3: 8 13 1 1 "containedIn"
3: 9 12 1 1 "containedIn"
2: 9 10 1 1 "cites"
2: 10 7 1 1 "cites"
5: 14 15 1 1 "publishedBy"
5: 11 16 1 1 "publishedBy"
```


[bib.net](#), [bibMode.clu](#), [bibSex.clu](#); [bib.paj](#), [bib.ini](#).

Bibliographic network – picture / Pajek

Rnet, info

V. Batagelj

- Networks
- Descriptions of networks
- Properties
- Types of networks
- Temporal networks
- Multi-relational networks
- Two-mode networks
- igraph in R
- Pajek and R
- netJSON and Graph





Reading Pajek files in R

[Rnet, info](#)

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

wiki





Temporal network data

netJSON format

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

For describing temporal networks we initially, extending Pajek format, defined and used a lanus format.

Recently we started to develop a new format based on JSON – we named it netJSON.

netJSON has two formats: a *basic* and a *general* format. Current implementation of the TQ library supports only the basic format. netJSON format is supported by a Python library **Nets**.



Informal description of the basic netJSON format

Rnet, info

V. Batagelj

Networks

Descriptions of networks

Properties

Types of networks

Temporal networks

Multi-relational networks

Two-mode networks

igraph in R

Pajek and R

netJSON and Graph

```
{
  "netJSON": "basic",
  "info": {
    "org":1, "nNodes":n, "nArcs":mA, "nEdges":mE,
    "simple":TF, "directed":TF, "multirel":TF, "mode":m,
    "network":fName, "title":title,
    "time": { "Tmin":tm, "Tmax":tM, "Tlabs": {labs} },
    "meta": [events], ...
  },
  "nodes": [
    { "id":nodeId, "lab":label, "x":x, "y":y, ... },
    ***
  ]
  "links": [
    { "type":arc/edge, "n1":nodeID1, "n2":nodeID2, "rel":r },
    ***
  ]
}
```

where ... are user defined properties and *** is a sequence of such elements.



Basic netJSON formats

Rnet, info

V. Batagelj

Networks

Descriptions
of networks

Properties

Types of
networks

Temporal
networks

Multi-
relational
networks

Two-mode
networks

igraph in R

Pajek and R

netJSON and
Graph

An event description can contain fields:

```
{  "date": date,  
  "title": short description,  
  "author": name,  
  "desc": long description,  
  "url": URL,  
  "cite": reference,  
  "copy": copyright  
}
```

for describing temporal networks a node element and a link element has an additional required property t_q

Example 1, Franzosi's violence network / UTF-8 no sig